


Earth & Solar System Cycles - Part 2 Galactic Cycles, Micro-Nova & Galactic Current Sheet

Further to my discussion on cycles in a Solar System & Galactic context, this is part 2 of my Cycles series. This is useful in filling in the remaining gaps in our understanding of what is happening Energetically on this planet & the Solar System as a whole.

Solar Cycles 2 - argument for Micro-Nova Cycles

We know that our Sun (Sol/Helios) can on occasion generate very significant Solar storms that far exceed the Sun Spot, Solar Flare & CME magnitudes seen since 1900.




In 1859 a massive Solar Flare & CME (Pic 1) known as the Carrington Event hit Earth resulting in the largest Electric-Magnetic storms ever recorded. Telegraph wires spontaneously caught fire, operators noted electrical discharge (massive sparks) jumping between their equipment & Aurora was see in Southern Continental United States & Victoria Australia.



If this class of storm struck today, a good proportion of the Worlds Electrical infrastructure would be fused or rendered inoperative (from generation to transmission lines). In addition, non-hardened consumer electronics equipment (including all computers & smart devices) would be damaged.

Evidence of major Solar Discharge on Earth & Moon

It is clear that Earth & our moon (Luna) has been hit by massive Solar discharge (significantly more powerful than a Carrington event). The by product of this significant Solar event can be seen in these glass like pellets - Found at various locations on Earth (including Egypt, India & deep under the several oceans).



During the Apollo missions (from Apollo 11 to Apollo 17) a significant aspect of these missions was to search for "glass pellets" & rock "Glazing" in the moon (Pic 2) above is a sample returned from the Apollo missions to Luna.



These glass pellets, along with glazed rocks (with glassy surfaces) have been found extensively by all Apollo missions that landed & also on Earth (Pic 3) below.



Further signs of significant glazing & stone desiccation is clearly shown in Egypt (Pics 4 - 7), significant signs of discharge is noted in the ancient cities & settlements of Memnos & Abydos in Egypt, where statues & even stairs show similar "Glazing", melting & rock layer explosion.








This kind of damage (scorchng, glazing & desiccation/layer destruction) can only be caused by massive Electrical Arc discharge reaching the ground itself.








These glass pellets (Earth & Luna based) have been analysed & those found on both planetoids show identical radiation markers & chemical composition.




>>> This means they came from the same place - Most likely the Sun <<<

Where did this matter come from?

The most likely source of this matter coming from the Sun in a Solar event is Stella Dust (Pic 8).









(Pic 9) This dust pervades all Galactic regions, however are concentrated in pockets of space (likely places of past Super-Nova Sun explosions). This dust is thought to become magnetised (in much the same way touching the tip of a screwdriver to a magnet will magnetise the metal).



This dust is attracted to the closest strong magnetic source (the Galactic Current sheet), which radiates from the core of the galaxy much like a skirt. with a regular up & down wave pattern (Pic 10) below.




Specifically as the Solar System moving in its sweeping galactic arm, travels across the Galactic Current Sheet (a line of demarcation that separates the Galactic North from the Galactic South Poles, like an equator), it collides with this magnetised dust (Pic 11) below.






It is estimated that we cross these sheets ever 12,000-13,000 years, which represents the mid-way point in the Procession of the Equinoxes which is measured as 25,920 years in duration (Pic 12)..



So, what happens when all this Dust & Electro-Magnetic energy bombards our Sun. The dust collects across the entire surface of the Sun, changes state into a highly charged plasma, and as the density of matter increases starts to create a cohesive shell across the outmost layer of the Sun (gradually hardening).




©Universal Copyright 2019 is authorized here. Please distribute freely as long as both the author <u>Sean</u> (<u>Twin Moons</u>) <u>Murray</u> and <u>www.TwinMoons.Net</u> are included as the resource and this information is distributed on a non-commercial no charge basis.



Solar energy build up is thought to be "held-in" to a greater extent (due to the dust shell) resulting in reduction of normal Sun radiance, Solar Wind & Solar activity, while this pressurised energy buildup begins that results in first a darkening of the Sun, until the shell of fused dust matter explodes & is propelled out in all 360degrees as a massive CME with associated Energy pulse/flash - A Micro-Nova (Pic 14).



Not lucky for life on Earth in the open at all - But we know those on the non-Sun facing side of Earth or those who have sheltered behind or under solid rock for protection, they would safely ride out anything but a direct Electrical discharge (Pic 15 - Birkland Current) below.



These Helixical discharges (only seen during the most fierce Solar storms) represent millions of volts of concentrated energy, seeking a 'Ground' to discharge - a planetary body.



The damage seen in Pic's 5 & 6 illustrate the destructive energy represented by these Solar current discharges.



Hopefully damage will be contained to specific geographic areas, and we know we as a race have survived these times of intense Solar activity before - as we are still here.

In the next installment we will look at these changes from an Esoteric, consciousness, Earth changes perspective, including more details relating to the Procession of the Equinoxes, Mayan End-Times & Stories of the Harvest.

Blessings All

In Service





Thanks to the Suspicious Observers YouTube Channel for some graphic images & more great insights -

https://www.youtube.com/user/Suspicious0bservers